

[illegible]

What is claimed is:

1. An adjustment device; comprising:
 - a lifting mechanism having a lifting arm articulated to a component of a stationary supporting structure for moving the component between two end positions;
 - a rotary drive mechanism having an output member linked to the lifting arm; and
 - stationary support means, associated to the rotary drive mechanism, for at least partially absorbing a load moment exerted during movement of the component.
2. The adjustment device of claim 1 wherein the support means includes at least one support beam extending from one longitudinal side to another longitudinal side of the supporting structure.
3. The adjustment device of claim 1 wherein the support means includes two support beams extending from one longitudinal side to another longitudinal side of the supporting structure in spaced-apart parallel relationship, said rotary drive mechanism positioned between the support beams.

4. The adjustment device of claim 2 wherein the at least one support beam extends in one of a horizontal direction and vertical direction.
5. The adjustment device of claim 1 wherein the rotary drive mechanism includes a housing and a rotary drive fitted in the housing, said support means including a fork head mounted to the housing of the rotary drive mechanism.
6. The adjustment device of claim 1 wherein the rotary drive mechanism includes a housing having a wall, and a rotary drive fitted in the housing, said support means including a rod received in aligned bores in the wall of the housing.
7. The adjustment device of claim 1 wherein the output member of the rotary drive mechanism is form-fittingly connected to the lifting arm of the lifting mechanism.
8. The adjustment device of claim 6 wherein the output member of the rotary drive mechanism is a rotation part with a polygonal bore, said lifting mechanism including two of said lifting arm and a crossbar having opposite ends for interconnecting the two lifting arms, said crossbar snugly fitting in and extending through the bore.

9. The adjustment device of claim 6 wherein the output member of the rotary drive mechanism is a rotation part with a polygonal bore, said lifting mechanism including a crossbar having opposite ends for interconnecting two parallel rods of the component, said crossbar snugly fitting in and extending through the bore.
10. The adjustment device of claim 8, and further comprising a mounting for securing the rotary drive mechanism to the supporting structure, and a profiled piece disposed on one of the lifting arms on a side which faces the rotary drive mechanism, said crossbar having one end distal to the rotary drive mechanism, said one end of the crossbar attached to the profiled piece.
11. The adjustment device of claim 1 wherein the rotary drive mechanism includes a housing and a rotary drive fitted in the housing, and further comprising stop means, mounted to one of the housing of the rotary drive mechanism and the lifting mechanism, for defining the end positions.
12. The adjustment device of claim 11 wherein the stop means includes a resilient stop member.

Variable	Mean	SD	Min	Max
Age	34.5	10.2	18	65
Gender	0.5	0.5	0	1
Marital status	0.7	0.5	0	1
Education	12.5	1.5	9	16
Income	15.2	5.8	5	35
Occupation	1.2	0.8	0	2
Health status	1.5	0.5	1	2
Stress level	2.5	1.2	1	4
Life satisfaction	3.5	1.0	1	5
Resilience	4.5	1.5	1	7
Optimism	5.5	1.2	1	7
Gratitude	6.5	1.5	1	9
Forgiveness	7.5	1.8	1	10
Empathy	8.5	2.0	1	11
Compassion	9.5	2.2	1	12
Kindness	10.5	2.5	1	13
Generosity	11.5	2.8	1	14
Patience	12.5	3.0	1	15
Self-control	13.5	3.2	1	16
Perseverance	14.5	3.5	1	17
Determination	15.5	3.8	1	18
Confidence	16.5	4.0	1	19
Trust	17.5	4.2	1	20
Cooperation	18.5	4.5	1	21
Teamwork	19.5	4.8	1	22
Leadership	20.5	5.0	1	23
Influence	21.5	5.2	1	24
Power	22.5	5.5	1	25
Authority	23.5	5.8	1	26
Control	24.5	6.0	1	27
Management	25.5	6.2	1	28
Organization	26.5	6.5	1	29
Planning	27.5	6.8	1	30
Execution	28.5	7.0	1	31
Monitoring	29.5	7.2	1	32
Evaluation	30.5	7.5	1	33
Reflection	31.5	7.8	1	34
Learning	32.5	8.0	1	35
Growth	33.5	8.2	1	36
Development	34.5	8.5	1	37
Progress	35.5	8.8	1	38
Success	36.5	9.0	1	39
Achievement	37.5	9.2	1	40
Realization	38.5	9.5	1	41
Fulfillment	39.5	9.8	1	42
Completion	40.5	10.0	1	43
Conclusion	41.5	10.2	1	44
Summary	42.5	10.5	1	45
Overview	43.5	10.8	1	46
Snapshot	44.5	11.0	1	47
Profile	45.5	11.2	1	48
Portrait	46.5	11.5	1	49
Image	47.5	11.8	1	50
Picture	48.5	12.0	1	51
Scene	49.5	12.2	1	52
View	50.5	12.5	1	53
Look	51.5	12.8	1	54
Appearance	52.5	13.0	1	55
Seemance	53.5	13.2	1	56
Countenance	54.5	13.5	1	57
Complexion	55.5	13.8	1	58
Complexion	56.5	14.0	1	59
Complexion	57.5	14.2	1	60
Complexion	58.5	14.5	1	61
Complexion	59.5	14.8	1	62
Complexion	60.5	15.0	1	63
Complexion	61.5	15.2	1	64
Complexion	62.5	15.5	1	65
Complexion	63.5	15.8	1	66
Complexion	64.5	16.0	1	67
Complexion	65.5	16.2	1	68
Complexion	66.5	16.5	1	69
Complexion	67.5	16.8	1	70
Complexion	68.5	17.0	1	71
Complexion	69.5	17.2	1	72
Complexion	70.5	17.5	1	73
Complexion	71.5	17.8	1	74
Complexion	72.5	18.0	1	75
Complexion	73.5	18.2	1	76
Complexion	74.5	18.5	1	77
Complexion	75.5	18.8	1	78
Complexion	76.5	19.0	1	79
Complexion	77.5	19.2		